

LANDICE

Worldwide Excellence For Over 40 Years

From treating the most acute neurological or post-operative conditions, to training world-class athletes, the Landice Rehabilitation Treadmill is the world's most versatile solution for rehabilitation, physical therapy and sports conditioning.

Five-Year Commercial Warranty




Rehabilitation Treadmill

PACKED WITH REHABILITATION

Treadmill always starts at 0.0 mph and resets to 0.0 mph.

Reversing belt option is ideal for practitioners who prescribe downhill and retro-walking therapies.

AccuTrack contact heart-rate monitoring option displays your heart-rate without the need for wearing a chest-strap.



ATION SPECIFIC FEATURES



15% grade elevation has variable over-speed protection.

Ultra high-torque drive moves users weighing up to 500 pounds at a true 0.1 to 12.0 mph.

Treadmill stops when patient-attachable safety lanyard is pulled.

Hand-held remote stop-start switch option is ideal for when therapists need to manipulate the patient's legs while remaining in control of treadmill operation.

Rehabilitation Treadmill Features

- Zero starting speed
- Extended parallel medical handrails
- 300 micro-amp Isolation Leakage Kit
- 0.1 to 12.0 mph speed range
- Ultra high-torque drive
- 4 HP continuous-duty motor
- 15% elevation
- VFX shock absorption system
- Patient-attachable safety lanyard
- 1-inch thick reversible deck
- Rust-free aluminum frame

L7 Rehabilitation Treadmill Highlights

- 20" x 58" four-ply treadbelt
- Low 5-1/2" step-up height
- 2-1/2" diameter, 14-pound steel rollers
- 400-pound user weight capacity
- 36" x 76" footprint

Commercial Warranty: 5-year parts / 1-year labor*

Electrical Requirements: 120VAC, 60HZ, 15A (International voltages available)

Certifications: ETL certified to UL-1647 and CAN CSA 22.2 no. 68

*Designed for use in rehabilitation settings. Heavy use pay-for-membership facilities such as health clubs, gyms, and YMCAs are not eligible for this warranty program.

L8 Rehabilitation Treadmill Highlights

- 22" x 63" four-ply treadbelt
- Low 7-1/2" step-up height
- 3-1/2" diameter, 22-pound steel rollers
- 500-pound user weight capacity
- 36" x 83" footprint

Rehabilitation Treadmill Options

- Reversing belt direction with hand-held remote stop-start switch
- Hand-held remote stop-start switch
- L7 Orthopedic Suspension System
- L8 Orthopedic Suspension System
- 100 micro-amp Hospital Isolation Leakage Kit
- AccuTrack contact heart-rate monitoring system
- 220 VAC, 15A, 60/50 Hz